

1 SAM ↓



M 108[↗]

TEL/FAX:021-57350280/021-51368588



$\tilde{E} \quad a$ $\tilde{E}$

i

2

 $\mathbb{F}_N$

L

 a $\bar{G}$ $\dot{\rho}$

v

L

A

 $\tilde{E}$
$$L \quad \tilde{\omega}$$

└

No

 $\tilde{\omega}$ $\vdash \bar{G}$ 



α 1 E[~] L b 'Y , τHNo 'Y b η τ H
A [τHNo i ρ α
≠ 1 z 1 z γ β γ β
α 'Y E[~] γ β



操作手冊

1	↑		5
1.1			5
1.2			5
1.3	a		5
1.4	a		7
1.5	↑		7
2	η		7
2.1			7
2.2	ḡ η		7
2.3	E [~] ḡ η		7
2.4	ḡ η		8
3			9
3.1	↑		9
3.2	↑		9
3.3	↑ ḡ ↑		9
3.4			10
4	a		11
4.1	↑		11
4.2			11
4.3	a		11
4.4	%		11
4.5	L		12
4.6	G		12
4.7	ĩ k		15
5	ŵ		16

. 1



操作手冊

1 $\updownarrow$

1.1

 $\vdash$

r

SAM-285

SAM-440

SAM-700

SAM-440-08

SAM

↓

440


 $\dot{\mathbf{i}} \quad \beta$ $\gamma \quad \beta$

L/min

08

$$1 \quad z \quad \gamma \quad \beta$$


4 :



α V α ‰ DIN7753 PART1 / ISO 4184
ISO 1940-G6.3 VDI2060-Q6.3 ISO 8821 1
ρ 1 ~ K





3.1 1

1 í 7 r y 2
b B ↓ n p “ k 1 ”
“ 1 ” 3HP 30HP p ů 1
v 1 b í ï
v L J r №
1 1

SAM-440

SAM-700




3.2 1

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

3.3 1 b 1

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

2 b 1



3.4 Oil-free scroll air end technical data

Model	Shaft power	Rated pressure	Air displacement	Exhaust interface	Speed	Noise value	Outline size	Weight
	KW	Mpa	L/min	inch	r/min	dB(A)	mm	kg
SAM-285	2.2	0.8	250	PT3/8"	2840	64	270x300x265	15.5
	2.4	1.0	215		2400			
SAM-440	3.75	0.8	410	PT1/2"	3050	65	347x330x295	19.5
	4.4	1.0	355		3000			
SAM-700	5.5	0.8	570	PT3/4"	2950	66	335x381x357	31.5
	6.0	1.0	490		2650			



4. a

4.1 L

$$\begin{aligned} W &= 1 - L_{\text{out}} & 1 - L_{\text{in}} &= \pm \\ W &= 1 & \gamma &= \gamma \\ &= 3 & \dot{t} &= \downarrow \end{aligned}$$



Å β 1
v
1 Å Å
1 z 1 1 1 z v 1 Å 1 z v 1 z v
Å Å

4.5 L

1 z 1 z v 1 Å p 1 z 1
z v 1 z v 1 z 1
Å Å Å p 1 z
Å
G Å ü G Å
β L B
Å Å Å
1 Å

4.6 G

G I i r. b 1 k G I ||
a n p
G I b Å r ®
1 v 1 H || p 1 z
p H 1 Å b q H
G I k i 1 p
1 G I
% ã ≥
= G I
A G 1 ü
1 p



1 1 ĩ Ĝ Ī

ñ 1 z D D ì 1 1 1

Ĝ Ī ĩ

' ı

' ' ı ψ 1 Ĝ

Ũ No

' Ũ ð 1 z

ı~ o ð 1 ~

1 r Ĝ Ī

Ĝ Ī 7/8

b , ≠

p || 1 z 1

ı b v

≠ ~

a

Ĝ 1

ı % v

Ĝ Ī ĩ

	ð							
		500	2500	5000	10000	15000	20000	
		2		2	4	6	8	
	v						•	3500h v
			○	•	•	•	•	
ı				○	○	○	○	
			○	○	○	○	○	
					○			
			○	•	•	•	•	
v				○	•	○	•	
ñ			○					2500h
		○	•					6
D					○		○	

○ •



$\bar{G}$

$\frac{1}{f}$

$\%$

v

$\bar{G}$

$\bar{I}$

$\ddot{I}$

	$\dot{\rho}$							
		500	2500	5000	10000	15000	20000	
		2		2	4	6	8	
	v						•	2500h v



ĩ k

ı ĩ k

ı

k



DANIEL

THE DANIELS COMPANY

1 G I

8

