诚信 • 创新 • 卓越

HANBELL

股票代码 002158

HANBELL

上海汉钟精机股份有限公司（总部）

上海市金山区枫泾镇公路8289号

Shanghai Hanbell Precise Machinery Co., Ltd.

Add：No.8289,Tongfeng Road,Fengjing Area,Jinshan District,Shanghai

Tel：021-57359090

Fax：021-31068857/57352004

上海汉钟精机股份有限公司枫泾一厂

上海市金山区枫泾镇环西路1691号

Shanghai Hanbell Precise Machinery Co., Ltd. (Fengjing Branch Office)

Add：No.1691,Huanxi Road,Fengjing Town,Jinshan District,Shanghai

Tel：021-57359090

Fax：021-57352004

上海汉钟精机股份有限公司南京分公司

江苏省南京市栖霞区开发区仙林大道1500号七层

Shanghai Hanbell Precise Machinery Co., Ltd. (Nanjing Branch Office)

Add：8/F, No.1500, Shanmao Building, Xianlin Avenue, Nanjing Development Zone, Qixia District, Nanjing, Jiangsu Province

Tel：025-52078091/52078092/52078093

Fax：025-52078090

上海汉钟精机股份有限公司广州分公司

广东省广州市花都区狮岭镇文化村文山路联珠工业区15号厂房

Shanghai Hanbell Precise Machinery Co., Ltd. (Guangzhou Branch Office)

No.15 Factory Building, Zone A, Wenshan Road Industrial Park, Wenhua Village, Shiling Town, Huadu District, Guangzhou, Guangdong Province

Tel：020-34703075

Fax：020-34723325

上海汉钟精机股份有限公司重庆分公司

Shanghai Hanbell Precise Machinery Co., Ltd. (Chongqing Branch Office)

Add：No.18,Yuma Road,Nan'an District,Chongqing

Tel：023-62611068

Fax：023-62611069

涡旋式空气压缩机

上海汉钟精机股份有限公司

汉钟无油涡旋空气压缩机

OIL-FREE SCROLL AIREND

汉钟无油涡旋空气压缩机

OIL-FREE SCROLL AIREND

汉钟无油润旋空气压缩机

OIL-FREE SCROLL AIR COMPRESSOR

洁净的空气品质

守保一颗善在守护心

安心舒适的空气品质

守护您的生命安全

无油涡旋机组设计特点：

Oil-free scroll unit design features:

1、空气系统完全无油，碳污染少，更清洁。

2、运动部件少，结构简单，可靠性高，使用寿命长。

3、无需更换润滑油及其油过滤器，无废油处置的问题，更环保。

4、工作时静涡盘和动涡盘不接触，振动小，噪音更低。

5、运行费用极低，每年可为您节省上万元的费用。

6、几乎无易损件，维护工作量极少，维护成本更低。

7、可实现智能多机连锁，循环启动/停止控制，实现最优运行降低电力消耗。

8、模块化彩色LCD液晶面板显示，人机界面更简单，更友好，更直观。

1, the air system completely oil-free, carbon pollution, cleaner.

2, less service costs, simple structure, high reliability, long service life.

3, no need to replace the oil and oil filters, no waste disposal problems, more environmentally friendly.

4, when work in static and dynamic scrolls do not touch, vibration, low noise.

5, operating costs are very low, you can save tens of thousands of dollars each year.

6, almost no wearing parts, maintenance workload is very small, lower maintenance costs.

7, can achieve intelligent multi-machine chain, cycle start / stop control, to achieve optimal operation to reduce power consumption.

8, equipped with intelligent modular color LCD control system, more optimized operation, more humanized with the compressor body, the pursuit of higher performance, better use experience.



无油涡旋机组规格表 Oil-free scroll air compressor unit specification table

型号 Model	马达输出功率 Motor output power		额定气压 Rated pressure	空气突出量 Air protrusion	排气接口 Exhaust interface	噪音值 Noise value
	kW	HP	bar	L/min	inch	dB(A)
ASF-B03A	2.2	3	8	250	3/8"	62±2
ASF-B03B			10	215		
ASF-B05A	3.7	5	8	410	1/2"	63±2
ASF-B08A	5.5	8	8	570	3/4"	64±2
ASF-B08B			10	480		
ASF-B10A	2.2*1+3.7*2	18	8	1070	1"	72±2
ASF-B18B			10	925		
ASF-B20A	3.7*4	20	8	1840	1"	72±2
ASF-B20B			10	1420		
ASF-B22A	5.5*3	22	8	1710	1"	74±2
ASF-B30A	5.5*4	30	8	2280	1-1/2"	74±2
ASF-B30B			10	1960		

微油涡旋机组设计特点：

Oil less scroll air compressor design features:

1、空气纯度高，含油量极低。

2、搭载智能彩色液晶控制系统，运行更优化。

3、噪音低，可直接放置在生产车间内，几乎无干扰。

4、保养费用低，无易损件，维护简单，仅需对滤芯进行定期更换即可。

5、运行费用极低，每年可为您节省上万元的费用。

1, air purity is high, oil content is very low.

2, equipped with intelligent color LCD control system, more optimized operation.

3, low noise, can be directly placed in the production workshop, almost no interference.

4, maintenance costs are low, no wearing parts, do routine maintenance, you can rest assured to use.

5, the operating costs are very low, you can save tens of thousands of dollars per year.

微油涡旋机组规格表 Oil less scroll air compressor specification table

型号 Model	马达输出功率 Motor output power		额定气压 Rated pressure
	kW	HP	bar
ASL-C08A	5.5	8	0.6 ~ 1.0
ASL-C10A	7.5	10	0.6 ~ 1.0
ASL-B15A	5.5*2	15	0.6 ~ 1.0
ASL-B20A	7.5*2	20	0.6 ~ 1.0
ASL-C22A	5.5*3	22	0.6 ~ 1.0
ASL-C30A	7.5*3	30	0.6 ~ 1.0

无油涡旋机组规格表 Oil-free scroll air compressor unit specification table

型号 Model	马达输出功率 Motor output power		额定气压 Rated pressure	空气突出量 Air protrusion	排气接口 Exhaust interface	噪音值 Noise value
	kW	HP	bar	L/min	inch	dB(A)
ASF-C08A	5.5	8	0.6 ~ 1.0	1050	3/4"	60±2
ASF-C10A	7.5	10	0.6 ~ 1.0	1540	1-1/2"	64±2
ASF-B15A	5.5*2	15	0.6 ~ 1.0	1820	1-1/2"	66±2
ASF-B20A	7.5*2	20	0.6 ~ 1.0	2400	1-1/2"	66±2
ASF-C22A	5.5*3	22	0.6 ~ 1.0	2310	1-1/2"	67±2
ASF-C30A	7.5*3	30	0.6 ~ 1.0	3150	1-1/2"	68±2

The modular color LCD panel display is equipped with a high-performance microcomputer circuit control. The display will display the status of the digital display and various alarm warning. Easy to understand and realize the best man-machine interface.

应用领域
application

4S店（车辆喷漆）新能源大巴（制动、雨刷气门）
4S shop (car spray painting), new energy bus (brake, wiper valve),



医疗器械（牙医、制氧等医疗气源）
Medical instruments (dental, oxygen and other medical sources)

电子工业（装配清洁用气）
Electronic industry (assembly, cleaning, gas),

制药工业（制药业的搅拌）
Pharmaceutical industry (agitation of pharmaceutical industry)

食品业业（酿造业的搅拌）
Food industry (agitation of brewing industry)

纺织工业（喷气织机）
Textile industry (air

提供最快速、最有效率与最高品

压缩机界最响亮的品牌。

服务与支持
Service And Support

一个负荷都能得到最快的售后服务保证。

“创新、品质、服务”是汉钟的承诺，用完整的销售管理，结合各个产品销售网络，我们

顶的销售与服务。

我们以“世界第一”为目标，为创立中国人的骄傲奋斗不懈。“HANBELL”将会是

Vision